

# Search



Order Family Species Population	Discontinued	Size - year	Size	Size estimate quality	Size references	Trend - year	Trend	Trend quality	Trend references	1% threshold	1% yearset	Notes
Pelicaniformes												
Pelecanidae												
<i>Pelecanus crispus</i> (Dalmatian Pelican)												
<a href="#">South-west Asia &amp; South Asia (win)</a>		2000 - 2000	6,000 - 9,000		<a href="#">[R160]</a>	1996 - 2006	DEC	Poor	<a href="#">[R888]</a>	75	2012	<a href="#">[T5799]</a>
Ciconiiformes												
Ardeidae												
<i>Botaurus stellaris</i> (Eurasian Bittern)												
<a href="#">stellaris, South Asia (non-bre)</a>		0 - 0	-1 - -1			0 - 0	Unknown	No idea		-1	0	
<i>Ixobrychus minutus</i> (Common Little Bittern)												
<a href="#">minutus, South Asia</a>		1987 - 1991	10,000 - 25,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		250	2012	
Ciconiidae												
<i>Ciconia nigra</i> (Black Stork)												
<a href="#">South Asia (non-bre)</a>		1987 - 1991	1 - 10,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		100	2012	
<i>Ciconia ciconia</i> (White Stork)												
<a href="#">asiatica</a>		2004 - 2005	2,230 - 2,500	Expert opinion	<a href="#">[R1235]</a>	1986 - 1996	INC		<a href="#">[R1235]</a>	25	2012	
Threskiornithidae												
<i>Plegadis falcinellus</i> (Glossy Ibis)												
<a href="#">S, SE Asia (non-bre)</a>		1987 - 1991	10,000 - 25,000	Best guess	<a href="#">[R519]</a>	1977 - 1991	DEC		<a href="#">[R519]</a>	250	2012	
<i>Platalea leucorodia</i> (Eurasian Spoonbill)												
<a href="#">leucorodia, Western Asia/South-west &amp; South Asia</a>		2005 - 2005	23,000 - 23,000	Best guess	<a href="#">[R32]</a>	1997 - 2007	Unknown	No idea		230	2012	<a href="#">[P1963]</a> <a href="#">[T5781]</a>
Phocoeniformes												
Phoenicopteridae												
<i>Phoenicopterus roseus</i> (Greater Flamingo)												
<a href="#">South-west &amp; South Asia</a>		1997 - 1999	240,000 - 240,000	Census based	<a href="#">[R257]</a>	1990 - 2000	STA	No idea	<a href="#">[R66]</a>	2400	2012	<a href="#">[P1874]</a>
Anseriformes												
Anatidae												
<i>Anser anser</i> (Greylag Goose)												
<a href="#">rubirostris, South Asia (non-bre)</a>		0 - 0	25,000 - 25,000		<a href="#">[R32]</a>	1977 - 1991	INC		<a href="#">[R519]</a>	250	2012	<a href="#">[S7872]</a>
<i>Anser indicus</i> (Bar-headed Goose)												
<a href="#">C, S &amp; SE Asia</a>		0 - 0	52,000 - 60,000		<a href="#">[R404]</a>	0 - 0	Unknown	No idea		560	2012	
<i>Tadorna ferruginea</i> (Ruddy Shelduck)												
<a href="#">S &amp; SE Asia (non-bre)</a>		0 - 0	50,000 - 50,000		<a href="#">[R407]</a>	0 - 0	Unknown	No idea		500	2012	<a href="#">[S7076]</a>
<i>Tadorna tadorna</i> (Common Shelduck)												

Species	Population										
<a href="#">South Asia (non-bre)</a>	0 - 0	25,000 - 100,000	Best guess	<a href="#">[R20]</a>	0 - 0	Unknown	No idea		1000	2012	<a href="#">[S7086]</a>
<i>Mareca penelope</i> (Eurasian Wigeon)											
<a href="#">South Asia (non-bre)</a>	1987 - 1991	250,000 - 250,000		<a href="#">[R519]</a>	1977 - 1991	INC		<a href="#">[R519]</a>	2500	2012	
<i>Mareca strepera</i> (Gadwall)											
<a href="#">strepera, South Asia (non-bre)</a>	0 - 0	300,000 - 300,000		<a href="#">[R407]</a>	1991 - 2001	INC		<a href="#">[R540]</a>	3000	2012	<a href="#">[S7967]</a>
<i>Anas crecca</i> (Common Teal)											
<a href="#">crecca, South Asia (non-bre)</a>	1987 - 1991	400,000 - 400,000		<a href="#">[R519]</a>	1977 - 1991	DEC		<a href="#">[R519]</a>	4000	2012	
<i>Anas platyrhynchos</i> (Mallard)											
<a href="#">platyrhynchos, South Asia (non-bre)</a>	1987 - 1991	75,000 - 75,000		<a href="#">[R519]</a>	0 - 0	DEC	Reasonable	<a href="#">[R1261]</a> <a href="#">[R1260]</a> <a href="#">[R1259]</a>	750	2012	<a href="#">[T6003]</a>
<i>Anas acuta</i> (Northern Pintail)											
<a href="#">South Asia (non-bre)</a>	0 - 0	1,000,000 - 1,000,001	Best guess	<a href="#">[R407]</a>	1977 - 1991	DEC		<a href="#">[R519]</a>	20000	2012	<a href="#">[S8054]</a>
<i>Spatula querquedula</i> (Garganey)											
<a href="#">South Asia (non-bre)</a>	0 - 0	350,000 - 350,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea		3500	2012	<a href="#">[S8065]</a>
<i>Spatula clypeata</i> (Northern Shoveler)											
<a href="#">South Asia (non-bre)</a>	0 - 0	500,000 - 1,000,000		<a href="#">[R407]</a>	1977 - 1991	DEC		<a href="#">[R519]</a>	7100	2012	<a href="#">[S8028]</a>
<i>Marmaronetta angustirostris</i> (Marbled Teal)											
<a href="#">South Asia (non-bre)</a>	1987 - 1991	5,000 - 5,000		<a href="#">[R519]</a>	0 - 0	Unknown	No idea		50	2012	
<i>Netta rufina</i> (Red-crested Pochard)											
<a href="#">South Asia (non-bre)</a>	0 - 0	100,000 - 100,000		<a href="#">[R407]</a>	0 - 0	Unknown	No idea		1000	2012	
<i>Aythya ferina</i> (Common Pochard)											
<a href="#">South Asia (non-bre)</a>	0 - 0	200,000 - 500,000		<a href="#">[R407]</a>	1977 - 1991	STA		<a href="#">[R519]</a>	3200	2012	<a href="#">[S8093]</a>
<i>Aythya nyroca</i> (Ferruginous Duck)											
<a href="#">S, E &amp; SE Asia (non-bre)</a>	2005 - 2005	100,000 - 100,000		<a href="#">[R64]</a>	1977 - 1991	DEC		<a href="#">[R519]</a>	1000	2012	<a href="#">[S8101]</a>
<i>Aythya fuligula</i> (Tufted Duck)											
<a href="#">C &amp; South Asia (non-bre)</a>	0 - 0	300,000 - 500,000		<a href="#">[R407]</a>	0 - 0	Unknown	No idea		3900	2012	<a href="#">[S8109]</a>
<i>Mergus merganser</i> (Goosander)											
<a href="#">orientalis, S Asia (non-bre)</a>	0 - 0	2,500 - 10,000		<a href="#">[R115]</a>	1980 - 1990	STA		<a href="#">[R115]</a>	50	2012	<a href="#">[P2417]</a>
Gruidae											
<i>Anthropoides virgo</i> (Demoiselle Crane)											
<a href="#">W Central Asia (bre)</a>	1995 - 1995	100,000 - 100,000	Best guess	<a href="#">[R443]</a>	1985 - 1995	INC		<a href="#">[R443]</a>	1000	2012	<a href="#">[P32]</a>
<i>Grus grus</i> (Common Crane)											
<a href="#">grus, Western Siberia/South Asia</a>	2005 - 2005	70,000 - 70,000	Census based	<a href="#">[R668]</a>	1990 - 2000	STA	No idea	<a href="#">[R66]</a>	700	2012	<a href="#">[P46]</a>
<a href="#">(ilifordi), C China (non-bre)</a>	2002 - 2004	10,000 - 22,000	Expert opinion	<a href="#">[R1236]</a>	1985 - 2004	DEC		<a href="#">[R443]</a>	150	2012	<a href="#">[P47]</a>
<i>Grus nigricollis</i> (Black-necked Crane)											
<a href="#">C &amp; S Asia</a>	2010 - 2011	10,000 - 11,000	Expert opinion	<a href="#">[R1107]</a>	1981 - 1991	STA		<a href="#">[R124]</a>	100	2012	<a href="#">[S5940]</a>

Species Population												
Rallidae												
<i>Rallus aquaticus</i> (Western Water Rail)												
<a href="#">korejewi, Western Siberia/South-west Asia</a>	0 - 0	-1 - -1			0 - 0	Unknown	No idea		-1	0		
<i>Zapornia parva</i> (Little Crane)												
<a href="#">(illustris)</a>	0 - 0	-1 - -1			0 - 0	Unknown	No idea		-1	0		
<i>Porzana porzana</i> (Spotted Crane)												
<a href="#">NC Asia (bre)</a>	0 - 0	-1 - -1			0 - 0	Unknown	No idea		-1	0		
Charadriiformes												
Recurvirostridae												
<i>Recurvirostra avosetta</i> (Pied Avocet)												
<a href="#">Central &amp; S Asia</a>	1987 - 1991	10,000 - 100,000	Best guess	<a href="#">[R519]</a>	1994 - 2004	DEC		<a href="#">[R32]</a>	1000	2012	<a href="#">[T4365]</a>	
Glareolidae												
<i>Cursorius cursor</i> (Cream-coloured Courser)												
<a href="#">bogulubovi</a>	0 - 0	-1 - -1			0 - 0	Unknown	No idea		-1	0		
Charadriidae												
<i>Vanellus vanellus</i> (Northern Lapwing)												
<a href="#">S Asia (non-bre)</a>	1987 - 1991	10,000 - 25,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		250	2012		
<i>Vanellus gregarius</i> (Sociable Lapwing)												
<a href="#">Central Asian Republics/NW India</a>	X	2000 - 2010	200 - 200	Expert opinion	<a href="#">[R1294]</a>	1990 - 2000	DEC	Poor	<a href="#">[R611]</a>	2	2012	<a href="#">[P952]</a> <a href="#">[S7042]</a>
<i>Vanellus leucurus</i> (White-tailed Lapwing)												
<a href="#">Central Asian Republics/South Asia</a>	X	1987 - 1991	10,000 - 100,000	Best guess	<a href="#">[R519]</a>	1987 - 1997	INC?	No idea	<a href="#">[R611]</a>	1000	2012	
<i>Pluvialis squatarola</i> (Grey Plover)												
<a href="#">squatarola, S Asia (non-bre)</a>	1987 - 1991	30,000 - 30,000		<a href="#">[R519]</a>	0 - 0	Unknown	No idea		300	2012		
<i>Charadrius alexandrinus</i> (Kentish Plover)												
<a href="#">alexandrinus, S Asia (non-bre)</a>	0 - 0	50,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea		710	2012	<a href="#">[S6942]</a>	
<i>Charadrius mongolus</i> (Lesser Sandplover)												
<a href="#">atrifrons</a>	0 - 0	120,000 - 150,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea		1300	2012	<a href="#">[S6966]</a>	
<i>Charadrius leschenaultii</i> (Greater Sandplover)												
<a href="#">leschenaultii, South Asia (non-bre)</a>	1987 - 1991	25,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		1000	2012		
Scolopacidae												
<i>Lymnocyptes minimus</i> (Jack Snipe)												
<a href="#">S Asia (non-bre)</a>	2004 - 2004	1 - 25,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea		250	2012	<a href="#">[S6571]</a>	
<i>Gallinago solitaria</i> (Solitary Snipe)												
<a href="#">solitaria</a>	2005 - 2005	10,000 - 100,000	Best guess	<a href="#">[R36]</a>	0 - 0	Unknown	No idea		1000	2012		
<i>Gallinago megala</i> (Swinhoe's Snipe)												
<a href="#">Central Asia (bre)</a>	2007 - 2007	25,000 - 100,000	Expert opinion	<a href="#">[R36]</a>	0 - 0	Unknown	No idea		1000	2012	<a href="#">[S6552]</a>	

Species	Population									
<i>Gallinago gallinago</i> (Common Snipe)										
<a href="#">gallinago, S Asia (non-bre)</a>	0 - 0	100,000 - 1,000,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea	10000	2012	<a href="#">[S6875]</a>
<i>Limosa limosa</i> (Black-tailed Godwit)										
<a href="#">limosa, S Asia (non-bre)</a>	2001 - 2001	150,000 - 150,000		<a href="#">[R20]</a>	1977 - 1991	INC		<a href="#">[R519]</a>	1500	2012 <a href="#">[S6584]</a>
<i>Numenius phaeopus</i> (Whimbrel)										
<a href="#">variegatus, S Asia (non-bre)</a>	1987 - 1991	25,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea	1000	2012	
<i>Numenius arquata</i> (Eurasian Curlew)										
<a href="#">orientalis, S Asia (non-bre)</a>	1987 - 1991	10,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea	1000	2012	
<i>Tringa erythropus</i> (Spotted Redshank)										
<a href="#">S Asia (non-bre)</a>	0 - 0	10,000 - 25,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea	250	2012	<a href="#">[S6645]</a>
<i>Tringa totanus</i> (Common Redshank)										
<a href="#">ussuriensis, S &amp; SE Asia (non-bre)</a>	0 - 0	25,000 - 100,000	Best guess	<a href="#">[R36]</a>	0 - 0	Unknown	No idea	1000	2012	
<a href="#">eurhinus</a>	0 - 0	100,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1000	2012	<a href="#">[S6655]</a>
<i>Tringa stagnatilis</i> (Marsh Sandpiper)										
<a href="#">S Asia (non-bre)</a>	0 - 0	100,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1000	2012	<a href="#">[S6658]</a>
<i>Tringa nebularia</i> (Common Greenshank)										
<a href="#">South Asia (non-bre)</a>	0 - 0	50,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	710	2012	<a href="#">[S6662]</a>
<i>Tringa ochropus</i> (Green Sandpiper)										
<a href="#">South Asia (non-bre)</a>	0 - 0	25,000 - 100,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1000	2012	<a href="#">[S6671]</a>
<i>Tringa glareola</i> (Wood Sandpiper)										
<a href="#">South Asia (non-bre)</a>	0 - 0	100,000 - 200,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1400	2012	<a href="#">[S6676]</a>
<i>Xenus cinereus</i> (Terek Sandpiper)										
<a href="#">India (non-bre)</a>	0 - 0	10,000 - 100,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1000	2012	<a href="#">[S6679]</a>
<i>Actitis hypoleucos</i> (Common Sandpiper)										
<a href="#">South Asia (non-bre)</a>	0 - 0	50,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	710	2012	<a href="#">[S6683]</a>
<i>Arenaria interpres</i> (Ruddy Turnstone)										
<a href="#">interpres, South Asia (non-bre)</a>	0 - 0	10,000 - 100,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1000	2012	<a href="#">[S6696]</a>
<i>Calidris alba</i> (Sanderling)										
<a href="#">S Asia (non-bre)</a>	1987 - 1991	25,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea	1000	2012	
<i>Calidris minuta</i> (Little Stint)										
<a href="#">South Asia (non-bre)</a>	0 - 0	200,000 - 300,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	2400	2012	<a href="#">[S6725]</a>
<i>Calidris temminckii</i> (Temminck's Stint)										
<a href="#">South Asia (non-bre)</a>	0 - 0	25,000 - 100,000	Best guess	<a href="#">[R32]</a>	0 - 0	Unknown	No idea	1000	2012	<a href="#">[S6729]</a>
<i>Calidris ferruginea</i> (Curlew Sandpiper)										
<a href="#">South Asia (non-bre)</a>	0 - 0	200,000 - 300,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea	2400	2012	<a href="#">[S6761]</a>
<i>Calidris alpina</i> (Dunlin)										

Species	Population										
<a href="#">centralis, South Asia (non-bre)</a>	0 - 0	100,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea		1000	2012	<a href="#">[S6756]</a>
<i>Calidris pugnax</i> (Ruff)											
<a href="#">S Asia (non-bre)</a>	1987 - 1991	25,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		1000	2012	
Laridae											
<i>Larus ichthyæetus</i> (Pallas's Gull)											
<a href="#">Central Asia (bre)</a>	1987 - 1991	25,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		1000	2012	
<i>Larus brunicephalus</i> (Brown-headed Gull)											
<a href="#">Central Asia (bre)</a>	0 - 0	100,000 - 200,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea		1400	2012	<a href="#">[S7244]</a>
<i>Larus ridibundus</i> (Black-headed Gull)											
<a href="#">South Asia (non-bre)</a>	1987 - 1991	25,000 - 1,000,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		10000	2012	
<i>Gelochelidon nilotica</i> (Common Gull-billed Tern)											
<a href="#">nilotica, South Asia (non-bre)</a>	0 - 0	60,000 - 100,000		<a href="#">[R32]</a>	0 - 0	Unknown	No idea		770	2012	<a href="#">[S7300]</a>
<i>Hydroprogne caspia</i> (Caspian Tern)											
<a href="#">South Asia (non-bre)</a>	0 - 0	50,000 - 100,000		<a href="#">[R32]</a>	1977 - 1991	STA		<a href="#">[R519]</a>	710	2012	<a href="#">[S7317]</a>
<i>Thalasseus bengalensis</i> (Lesser Crested Tern)											
<a href="#">bengalensis, Gulf/Southern Asia</a>	1995 - 1995	150,000 - 180,000	Expert opinion	<a href="#">[R579]</a>	0 - 0	Unknown			1600	2012	
<i>Sterna hirundo</i> (Common Tern)											
<a href="#">minussensis</a>	0 - 0	-1 - -1			0 - 0	Unknown	No idea		-1	0	
<a href="#">hirundo, Western Asia (bre)</a>	1987 - 1991	25,000 - 1,000,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown			10000	2012	
<a href="#">tibetana</a>	1987 - 1991	10,000 - 100,000	Best guess	<a href="#">[R519]</a>	0 - 0	Unknown	No idea		1000	2012	<a href="#">[P1218]</a>
<i>Sternula albifrons</i> (Little Tern)											
<a href="#">albifrons, Caspian (bre)</a>	1987 - 1991	10,000 - 25,000	Best guess	<a href="#">[R519]</a>	1990 - 2000	STA	No idea	<a href="#">[R66]</a>	250	2012	<a href="#">[P1239]</a>

## References

- R160 - Crivelli, A.J., Catsadorakis, G., Hatzilacou, D., Hulea, D., Malakou, M., Marinov, M., Michev, T., Nazirides, T., Peja, N., Sarigul, G. and Siki, M. 2000. Status and population development of Great White Pelican *Pelecanus onocrotalus* and Dalmatian Pelican *P. crispus* breeding in the palearctic. Pp 38-46 In: Yesou, P. and Sultana, J. (eds.) Proceedings of the 5th Medmarvis Symposium, Gozo, Malta. Environment Protection Department, Malta
- R888 - Wetlands International. 2012. Results of trend analysis undertaken for CSR5 2012, presented in Annex 4. [http://www.unep-aewa.org/meetings/en/mop/mop5\\_docs/pdf/mop5\\_14\\_csr5.pdf](http://www.unep-aewa.org/meetings/en/mop/mop5_docs/pdf/mop5_14_csr5.pdf)
- R519 - Perennou, C.P., Mundkur, T. and Scott, D.A. 1994. The Asian Waterfowl Census 1987-1991: distribution and status of Asian waterfowl. IWRB Spec. Publ. No. 24; AWB Spec. Publ. No. 86. Slimbridge, UK and Kuala Lumpur, Malaysia.
- R1235 - Thomsen, K.M. 2006. Report for the 6th International White Stork Census: Preliminary results of the VI. International White Stork Census 2004/05 <http://bergenhusen.nabu.de/zensus/zensus2006/worldpopulation.pdf>
- R32 - Balachandran, S., in litt. 2005.
- R257 - Gilissen, N., Haanstra, L. and Delany, S. Boere, G. and Hagemeyer, W. 2002. Numbers and Distribution of Wintering Waterbirds in the Western Palearctic and Southwest Asia in 1997, 1998 and 1999 - Results from the International Waterbird Census. Wetlands International Globale Series No. 11, Wageningen, The Netherlands
- R66 - BirdLife International Website 2002
- R404 - Li Laixing, 2001. Survey results and new records of waterfowl at Qinghai Lake. China Crane News 5(1):36-37
- R407 - Li, David, and Asian Waterbird Census network in litt. 2005.
- R20 - Asian Waterbird Census unpublished data. 2002.
- R540 - Rahmani, A.R., Laad, S., Islam, M.Z., and Malekar, A. 2002. Asian Waterbird Census India - 2002. Bombay Natural History Society.
- R1261 - NIBR. 2010. Survey and Resource Management of Wildlife. 2010. Report by National Institute of Biological Resources (Ministry of Environment). In Korean. 97pp. Downloaded June 2011: <http://webbook.me.go.kr/DLIFile/pdf/2011/06/5503747.pdf>
- R1260 - MOE (Ministry of Environment). 1999-2009. Annual Reports of the Winter Bird Census (in Korean).
- R1259 - Li Z-W, D. Bloem, A., Delany, S., Martakis, G. and Quintero, J. 2009. Status of Waterbirds in Asia: Results of the Asian Waterbird Census 1987-2007. Wetlands International, Kuala Lumpur, Malaysia.
- R64 - BirdLife International. 2005. Threatened birds of the world 2005. Species factsheets available at [www.birdlife.org](http://www.birdlife.org)
- R115 - Callaghan, D.A. and Green, A.J. 1993. Wildfowl at risk, 1993. Wildfowl 44: 149-169.
- R443 - Meine, C.D. and Archibald, G.W. (eds.). 1996. The Cranes: status survey and conservation Action Plan. IUCN, Gland, Switzerland and Cambridge, UK. 294 pp.
- R668 - Unpublished information supplied by Wetlands International Specialist Groups, 2006.
- R1236 - Wang, Y.H. and Wang, H. 2004. Advance in study of Common Crane and its present status in China. Guizhou Science, 22 (3): 65-71.
- R1107 - Harris, J. In litt. 2012t.
- R124 - Chan, Simba, In litt., 2002. Unpublished information on Asian waterbirds.
- R1294 - BirdLife International. 2010b. Vanellus gregarius. In: IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2. <[www.iucnredlist.org](http://www.iucnredlist.org)>. Downloaded on 15 May 2012.
- R611 - Stroud, D.A., Davidson, N.C., West, R., Scott, D.A., Haanstra, L., Thorup, O., Ganter, B. and Delany, S. (compilers) on behalf of the International Wader Study Group 2002. Status of migratory wader populations in Africa and Western Eurasia in the 1990s.
- R36 - Bamford, M.J., Watkins, D.G., Bancroft, W., Tischler, G and Wahl, J. (in prep, 2006). Migratory Shorebirds of the East Asian-Australasian Flyway; Population Estimates and Important Sites. Wetlands International - Oceania.
- R579 - Scott, D.A. in press, 2002. Report on the Conservation Status of Migratory Waterbirds in the Agreement Area. Update Report to African Eurasian Migratory Waterbird Agreement Secretariat

- P1963 - Often included in nominate.
- T5781 - Wetlands International 2012. Trend 1995-2007: -0.6% p.a. ? Uncertain.
- P1874 - Split from East Mediterranean, South-west & South Asia in WPE4. Recognised as a separate species from ruber following BirdLife. (WPE4)
- S7872 - 33: 15,000 estimated in India.
- S7076 - Li in litt. 2005: AWC 2002 recorded 35,000 in South Asia. 33: population in India estimated as 40,000.
- S7086 - 10,000 winter in NW India & Pakistan (525), and 10,000 in Myanmar. Li & Mundkur (2004): 20,000 in Bangladesh in 2001.
- S7967 - Li in litt. 2005: Highest AWC count of over 230,000 birds in South Asia in 2002.
- T6003 - TRIM analysis by Li et al (2009) of waterbird counts recorded by the Asian Waterbird Census between 1987 and 2007 identified a steep decline of Mallard throughout East Asia. Basic analysis of data from two government datasets in the Republic of Korea (M)
- S8054 - Li in litt. 2005: 650,000 counted in South Asia in 2003-2004.
- S8065 - 33: estimate for India 300,000. 741: 50,000 in Sri Lanka in 1997.
- S8028 - Li in litt. 2005: 245,000 counted by AWC in 2001, 270,000 in 2002 and 180,000 in 2003. 33 estimates 400,000 in India.
- S8093 - Li in litt. 2005: 160,000 recorded in AWC 2002. 33: Indian population estimated as 100,000.
- S8101 - Tens of thousands breed in Inner Mongolia and common on Tibetan Plateau (BirdLife International. 2005). >90,000 on Hoars of NE Bangladesh, Jan 2002 (669).
- S8109 - 33: Indian population estimated at 300,000.
- P2417 - Sometimes ascribed to comatus.
- P32 - In previous WPE editions placed in the genus *Grus*.
- P46 - Information provided by George Archibald, October 2001.
- P47 - E form lilfordi (Turkey to EC Asia; wintering NE Africa E to S China) sometimes recognized, but here regarded as probably undiagnosable, differences from nominate believed to be based on plumage colour variations due in part to differences in feather-painting behaviour.
- S5940 - New estimates from ICF (Harris, J. In litt. 2012).
- T4365 - 33: numbers decreased dramatically on E coast of India between 1985 and 2005.
- P952 - This population has been merged with the SE Europe & Western Asia/North-east Africa population following a review by the AEWA Technical Committee. See [www.unep-aewa.org/en/document/delineation-biographic-populations-sociable-lapwing-vanellus-gregarius](http://www.unep-aewa.org/en/document/delineation-biographic-populations-sociable-lapwing-vanellus-gregarius)
- S7042 - Kamp, J. In litt. 2008. Based on the observation that numbers after 2000 never exceeded 45 birds at a single site.
- S6942 - 33: Indian population estimated at 40,000.
- S6966 - 33: Indian population estimated at 120,000.
- S6571 - 33: Indian population estimated at 3,000.
- S6552 - Estimate retained from WPE4; not re-assessed due to limited new information; poorly surveyed in non-breeding grounds in Oceania. Generally at low density, occasionally congregates (up to a few hundred birds).
- S6875 - 33: Indian wintering population estimated at 40,000.
- S6584 - 20: >110,000 and 126,000 counted in India in 2002 and 2003 respectively.
- S6645 - 33: Indian population estimated at 8,000.
- S6655 - 33: Indian population estimated at 100,000. 602: only a few thousand in Sri Lanka.
- S6658 - 33: Indian population estimated at 60,000.
- S6662 - 33: Indian population estimated at 40,000.
- S6671 - 33: Indian population estimated at 25,000.
- S6676 - 33: Indian population estimated at 100,000-200,000.
- S6679 - 33: >10,000 in India. 602: Not >50 in Sri Lanka
- S6683 - 33: Indian population estimated at 50,000.
- S6696 - 33: Indian wintering population 15,000.
- S6725 - 33: Indian population estimated at 200,000.
- S6729 - 33: Indian population estimated at <50,000.
- S6761 - 33: Indian population estimated at 200,000.
- S6756 - 33: Indian population estimated at 60,000.
- S7244 - 33: Indian population estimated at 80,000.
- S7300 - 33: Indian population estimated at >50,000.
- S7317 - 33: Indian population estimated at >50,000.
- P1218 - Breeds in NW Sri Lanka. ssp unknown (Sinwardena, D. & Warakagoda, U. in litt. 2005.).
- P1239 - Subspecies innominata listed in error by del Hoyo et al. (1996) and Clements (2000) for islands in the Persian Gulf.