

## Taxonomic List

### Biological components:

#### 4.3.2 Animal species

##### Mammalia:

- (*Eliomys quercinus*) Rare  
 (*Muscardinus avellanarius*) Scattered spread, stable population.  
 (*Sciurus vulgaris*) Widespread, stable population .  
 (*Glis glis*) Scattered spread, stable population.  
 (*Sorex araneus*) Widespread, stable population .  
 (*Crocidura suaveolens*) Scattered spread, stable population.  
 (*Neomys fodiens*) Scattered spread, stable population.  
 (*Crocidura leucodon*) Widespread, stable population .  
 (*Neomys anomalus*) Scattered spread.  
 (*Sorex minutus*) Widespread, stable population .  
 (*Erinaceus concolor*) Widespread, stable population .  
 (*Talpa europaea*) Widespread, stable population  
 (*Mustela erminea*) Scattered spread.  
 (*Lutra lutra*) Stable population.

##### Mammalia, Chiroptera :

- (*Myotis daubentoni*) Resident  
 (*Myotis myotis*) Resident  
 (*Eptesicus serotinus*) Stable population  
 (*Nyctalus noctula*) Stable population  
 (*Nyctalus leisleri*) One occurrence in the region  
 (*Pipistrellus nathusii*) Two occurrences in the county of Komárom-Esztergom  
 (*Pipistrellus pipistrellus*) Stable population  
 (*Plecotus austriacus*) Occasional visitor

##### Aves:

##### ANNEX 1.

- Pygmy Cormorant (*Phalacrocorax pygmeus*), 5-10 pairs  
 Pygmy Cormorant (*Phalacrocorax pygmeus*), max. 410 specimens.  
 Great Bittern (*Botaurus stellaris*), 4-6 pairs  
 Little Bittern (*Ixobrychus minutus*), 15-20 pairs  
 Night Heron (*Nycticorax nycticorax*), 310 specimens.  
 Squacco Heron (*Ardeola ralloides*) 3 specimens.  
 Little Egret (*Egretta garzetta*) 161 specimens.  
 Great Egret (*Egretta alba*), 350 specimens.  
 Purple Heron (*Ardea purpurea*), 5-10 pairs  
 White Stork (*Ciconia ciconia*), 1 pairs  
 White Stork (*Ciconia ciconia*) 310 specimens.  
 Black Stork (*Ciconia nigra*) 135 specimens.  
 Spoonbill (*Platalea leucorodia*), max. 65 specimens.  
 Lesser White-fronted Goose (*Anser erythropus*), max. 5 specimens.

Red-breasted Goose (*Branta ruficollis*), 51 specimens.  
Ferruginous Duck (*Aythya nyroca*), 1-4 pairs  
Ferruginous Duck (*Aythya nyroca*) 81 specimens.  
Smew (*Mergellus albellus*) max. 262 specimens.  
White-tailed Eagle (*Haliaeetus albicilla*) max. 21 specimens.  
Eastern Imperial Eagle (*Aquila heliaca*) max. 4 specimens.  
Short-toed Eagle (*Circaetus gallicus*) max. 4 specimens.  
Marsh Harrier (*Circus aeruginosus*), 4-7 pairs  
Saker Falcon (*Falco cherrug*) 0- 1 pairs  
Spotted Crake (*Porzana porzana*), 5-7 pairs  
Little Crake (*Porzana parva*), 5-10 pairs  
Avocet (*Recurvirostra avosetta*), 0-7 pairs  
Avocet (*Recurvirostra avosetta*) max. 108 specimens.  
Black-winged Stilt (*Himantopus himantopus*) , 0-6 pairs  
Black-winged Stilt (*Himantopus himantopus*) max. 52 specimens.  
Ruff (*Philomachus pugnax*) 2200 specimens.  
Wood Sandpiper (*Tringa glareola*) max, 1200 specimens.  
Common Tern (*Sterna hirundo*), 0-110 pairs  
Common Tern (*Sterna hirundo*) 235 specimens.  
Black Tern (*Chlidonias niger*) 850 specimens.  
Whiskered Tern (*Chlidonias hybrida*) 55 specimens.  
White-winged Tern (*Chlidonias leucopterus*) 56 specimens.  
Kingfisher (*Alcedo atthis*), 5-10 pairs  
Black Woodpecker (*Dryocopus martius*) , 1-2 pairs  
Middle Spotted Woodpecker (*Dendrocopos medius*), 3-5 pairs  
Bluethroat (*Luscinia svecica*), 4-7 pairs  
Moustached Warbler (*Acrocephalus melanopogon*), 1-5 pairs  
Collared Flycatcher (*Ficedula albicollis*) , 3-4 pairs

#### ANNEX II/A

Bean Goose (*Anser fabalis*) 11600 specimens.  
Greylag Goose (*Anser anser*), 25-30 pairs  
Greylag Goose (*Anser anser*) 3200 specimens.  
Mallard (*Anas platyrhynchos*), 30-40 pairs  
Mallard (*Anas platyrhynchos*) 14500 specimens.  
Pochard (*Aythya ferina*), 8-10 pairs  
Pochard (*Aythya ferina*) 2250 specimens.  
Pintail (*Anas acuta*) 167 specimens.  
Gadwall (*Anas strepera*), 1-3 pairs  
Gadwall (*Anas strepera*) 144 specimens.  
Shoveler (*Anas clypeata*) 312 specimens.  
Tufted Duck (*Aythya fuligula*), 0-2 pairs  
Tufted Duck (*Aythya fuligula*) 3100 specimens.  
Teal (*Anas crecca*) 2300 specimens.  
Garganey (*Anas querquedula*) 154 specimens.  
Coot (*Fulica atra*), 35-40 pairs  
Coot (*Fulica atra*) 2600 specimens.  
Snipe (*Gallinago gallinago*) 310 specimens.

**ANNEX II/B.**

Mute Swan (*Cygnus olor*), 3-6 pairs

Mute Swan (*Cygnus olor*) 470 specimens.

Great White-fronted Goose (*Anser albifrons*) 45000 specimens.

Red-crested Pochard (*Netta rufina*), 2-7 pairs

Red-crested Pochard (*Netta rufina*) 87 specimens.

Quail (*Coturnix coturnix*), 5-10 pairs

Water Rail (*Rallus aquaticus*), 8-12 pairs

Moorhen (*Gallinula chloropus*), 8-12 pairs

Lapwing (*Vanellus vanellus*), 0-8 pairs

Lapwing (*Vanellus vanellus*) 650 specimens.

Black-tailed Godwit (*Limosa limosa*) 106 specimens.

Curlew (*Numenius arquata*) 52 specimens.

Spotted Redshank (*Tringa erythropus*) 320 specimens.

Redshank (*Tringa totanus*), 0-2 pairs

Redshank (*Tringa totanus*) 415 specimens.

Greenshank (*Tringa nebularia*) 265 specimens.

Black-headed Gull (*Larus ridibundus*) max. 12000 specimens.

Caspian Gull (*Larus cachinnans/ Larus michabellis*) max. 7200 specimens

Common Gull (*Larus canus*) max. 4500 specimens

Starling (*Sturnus vulgaris*) max. 65000 specimens

Rook (*Corvus frugilegus*), max. 25000 specimens.

**OTHER Breeding Birds**

Black-necked Grebe (*Podiceps nigricollis*), max. 90 specimens.

Great Crested Grebe (*Podiceps cristatus*), 15-20 pairs

Little Grebe (*Tachybaptus ruficollis*), 10-12 pairs

Common Buzzard (*Buteo buteo*), 4-6 pairs

Hobby (*Falco subbuteo*), 1-2 pairs

Little Ringed Plover (*Charadrius dubius*), 0-5 pairs

Great Reed Warbler (*Acrocephalus arundinaceus*), 50-60 pairs

Grasshopper Warbler (*Locustella naevia*), 7-10 pairs

Marsh Warbler (*Acrocephalus palustris*), 30-35 pairs

Penduline Tit (*Remiz pendulinus*), 15-25 pairs

**Pisces:**

(*Leucaspis delineatus*) Scattered spread

(*Gobio gobio*) Widespread

(*Barbatula barbatula*) Rare

(*Misgurnus fossilis*) Rare

(*Cobitis taenia*) Widespread

**Lepidoptera:**

(*Maculinea teleius*) Rare.

(*Maculinea alcon*) Very rare.

**Amphibia :**

(*Triturus cristatus*) Stable population.

(*Triturus vulgaris*) Stable population.

(*Bombina bombina*) Widespread, stable population.

(*Pelobates fuscus*) Scattered spread, stable population.

(*Bufo bufo*) Widespread, stable population.

(*Bufo viridis*) Widespread, stable population.

(*Hyla arborea*) Widespread.

(*Rana arvalis wolterstroffi*) Rare.

(*Rana dalmatina*) Widespread, stable population.

(*Rana ridibunda*) Widespread, stable population.

(*Rana lessonae*) Common.

(*Rana esculenta*) Common.

**Reptilia:**

(*Emys orbicularis*) Endangered. 50-100 individuals.

(*Lacerta viridis*) stable population.

(*Lacerta agilis*) biogeographically important.

(*Elaphe longissima*) stable population.

(*Coronella austriaca*) stable population.

(*Natrix natrix*) stable population. Widespread.

(*Natrix tessellata*) stable population. Widespread.