

i. Taxonomic list of plant and animal species occurring in the site

Criterion 5: Source of the data: personal communication (Selmeczi Kovács Ádám (2014))
Floodplain of the river Ipoly is a valuable habitat for the migratory birds, especially for waterfowl during spring time. Several times more than 20 000 waterfowls occur in the area in early spring. These migratory birds take their rest here and feed in marshes and wet meadows.

		2010	2011	2012
Pintail	<i>Anas acuta</i>	100	50	100
Shoveler	<i>Anas clypeata</i>	250	300	150
Teal	<i>Anas crecca</i>	800	600	600
Wigeon	<i>Anas penelope</i>	350	450	500
Mallard	<i>Anas platyrhynchos</i>	10.000	8.000	10.000
Garganey	<i>Anas querquedula</i>	800	500	400
Gadwall	<i>Anas strepera</i>	50	50	50
White-fronted Goose	<i>Anser albifrons</i>	10.000	6.000	7.000
Greylag Goose	<i>Anser anser</i>	150	100	150
Lesser White-fronted Goose	<i>Anser erythropus</i>	1	0	0
Bean Goose	<i>Anser fabalis</i>	10.000	8.000	9.000
Pochard	<i>Aythya ferina</i>	300	500	500
Tufted Duck	<i>Aythya fuligula</i>	300	300	300
Red-breasted Goose	<i>Branta ruficollis</i>	2	1	0
Goldeneye	<i>Bucephala clangula</i>	50	50	50
Black Stork	<i>Ciconia nigra</i>	150	150	150
Snipe	<i>Gallinago gallinago</i>	500	400	500
Crane	<i>Grus grus</i>	20	100	50
White-tailed Eagle	<i>Haliaeetus albicilla</i>	5	5	5
Mediterranean Gull	<i>Larus melanocephalus</i>	1	3	5
Black-headed Gull	<i>Larus ridibundus</i>	500	500	500
Black-tailed Godwit	<i>Limosa limosa</i>	50	100	100
Smew	<i>Mergus albellus</i>	5	10	10
Curlew	<i>Numenius arquata</i>	30	50	30
Whimbrel	<i>Numenius phaeopus</i>	5	0	5
Osprey	<i>Pandion haliaetus</i>	1	1	3
Ruff	<i>Philomachus pugnax</i>	500	1000	1000
Golden Plover	<i>Pluvialis apricaria</i>	50	10	50
Common Tern	<i>Sterna hirundo</i>	5	5	5
Spotted Redshank	<i>Tringa erythropus</i>	500	300	500
Wood Sandpiper	<i>Tringa glareola</i>	300	500	500