

**Annex 1: Fish Species of Conservation Interest Recorded by the Wetlands Inventory Team, 1995 / 96.**

Species	Sites in Which Records Were Made	
	Previous Records	Current Records
<i>Astatotilapia aeneocolor</i>	L. George	L. George, L. Mburo
<i>Astatotilapia latifasciata</i>	L. Kyoga	L. Gigati
<i>Astatotilapia macrops</i>	L. Victoria, L. Bunyonyi	L. Bunyonyi, Ruhuhuma swamp, L. Mutanda, L. Mulehe, Lutembe Bay (L. Victoria)
<i>Astatotilapia oregosoma</i>	L. George	L. Mburo
<i>Harpagochromis guiarti</i>	L. Victoria	Iyingo (L. Kyoga), L. Bisina
<i>Oreochromis esculentus</i>	L. Victoria, L. Kyoga, L. Nabugabo, L. Kachera (introduced)	L. Buliba, L. Bisina, L. Kochobo, L. Kachera, L. Gigati
<i>Oreochromis variabilis</i>	L. Victoria, L. Kyoga, L. Nabugabo	Lake Gigati
<i>Paralabidochromis plagiodon</i>	L. Victoria	L. Lutembe Bay (L. Victoria), Lake Opeta.

(Source: Scott D.A.; Omoding, J.; Byaruhanga, A.; K.M; and Mutekanga, M.N.; Eds. (1993); Inventory of wetlands biodiversity in Uganda. Design and Methodologies. National wetlands conservation and management Programme.)

**Annex 2: Bird species of conservation importance found in Kyoga Basin Lakes**

Family & English Name	RE. ST	GL.ST	Bna	Agu	Nya	Gti	Kwi	Lma	Nsa	Nwa	Kyo
<b>Ardeidae</b>											
Grey Heron <i>Ardea cinerea</i>	NT		P	P	P	P	P	P	P	P	P
Goliath Heron <i>Ardea goliath</i>	NT								P		P
Purple Heron <i>Ardea purpurea</i>	NT		P	P	P	P	P	P	P	P	P
Great White Egret <i>Casmerodius albus</i>	VU		P								
<b>Balaenicipitidae</b>											
Shoebill <i>Balaeniceps rex</i>	VU	VU	P	P		P			P		P
<b>Accipitridae</b>											
African Marsh Harrier <i>Circus ranivorus</i>	NT		P	P		P		P	P	P	P
<b>Grudae</b>											
Crowned Crane <i>Balearica regulorum</i>	NT		P								
<b>Jacaniidae</b>											
Lesser Jacana <i>Microparra capensis</i>	NT		P	P		P					
<b>Sylviidae</b>											
White-winged Warbler <i>Bradypterus carpalis</i>	NT/RR			P		P	P	P	P	P	P
Papyrus Yellow Warbler <i>Chloropeta gracilirostris</i>	VU/RR	VU/RR				P		P			
Carruthers' Cisticola <i>Cisticola carruthersi</i>	NT		P			P			P		P
<b>Ciconiidae</b>											
Saddle-billed Stork <i>Ephippiorhynchus senegalensis</i>	VU		P								
<b>Sturnidae</b>											
Red-billed Oxpecker <i>Buphagus erythrorhynchus</i>	NT		P								
Yellow-billed Oxpecker <i>Buphagus</i>	VU		P								

<i>africanus</i>											
<b>Malaconotidae</b>											
Papyrus Gonolek <i>Laniarius mufumbiri</i>	NT/RR	NT		P	P		P	P	P	P	P
<b>Nectariniidae</b>											
Red-chested Sunbird <i>Cinnyris erythrocerca</i>	NT/RR		P	P	P	P	P	P	P	P	P
<b>Ploceidae</b>											
Marsh Widowbird <i>Euplectes hartlaubi</i>	VU			P							
Fox's Weaver <i>Ploceus spekeoides</i>	NT/RR	NT/RR		P							
Northern Brown-throated Weaver <i>Ploceus castanops</i>	NT		P								
<b>Phasianidae</b>											
Blue Quail <i>Coturnix adansonii</i>	VU		P								
<b>Fringillidae</b>											
Papyrus Canary <i>Serinus koliensis</i>	NT/RR		P	P					P		P
<b>Total Number of Species</b>			<b>15</b>	<b>11</b>	<b>4</b>	<b>8</b>	<b>5</b>	<b>7</b>	<b>7</b>	<b>6</b>	<b>9</b>

**Key to Names of Lakes**

Bna = Bisina; Agu = Agu; Nyo = Nyaguo; Gti = Gigati; Kwi = Kawi; Lma = Lemwa; Nsa = Nawampasa; Nwa = Nakuwa; Kyo = Kyoga Iyingo.

**Key to threat Categories**

RE.ST. = Regional Status; GL.ST. = Global Status; NT = Near Threatened; RR = Regional responsibility; VU = Vulnerable

(Source for regional status: Bennun, L. & Njoroge, P. (eds.) 1996.)