



Ramsar Information Sheet

Published on 15 May 2019

Update version, previously published on : 1 January 2002

Denmark Hochstetter Forland



Designation date	27 January 1988
Site number	390
Coordinates	75°28'43"N 19°47'46"W
Area	207 000,00 ha

Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

1 - Summary

Summary

This site is an extensive level tundra area, which gently slopes from a mountain range in the northwest across a plateau at about 300 m asl. and towards the sea to the east and south. The site is an important moulting area for geese, especially the Pink-footed Goose (*Anser brachyrhynchus*) and approx. 3% of the flyway population was present at the most recent survey in 1988.

2 - Data & location

2.1 - Formal data

2.1.1 - Name and address of the compiler of this RIS

Compiler 1

Name	David Boertmann
Institution/agency	Aarhus University, Institute for Bioscience
Postal address	Frederiksborgvej 399 DK-4000 Roskilde Denmark
E-mail	dmb@bios.au.dk
Phone	+45 25580687

2.1.2 - Period of collection of data and information used to compile the RIS

From year	1976
To year	2015

2.1.3 - Name of the Ramsar Site

Official name (in English, French or Spanish)	Hochstetter Forland
---	---------------------

2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

(Update) A. Changes to Site boundary	Yes <input checked="" type="radio"/> No <input type="radio"/>
(Update) The boundary has been delineated more accurately	<input checked="" type="checkbox"/>
(Update) The boundary has been extended	<input type="checkbox"/>
(Update) The boundary has been restricted	<input type="checkbox"/>
(Update) B. Changes to Site area	the area has increased
(Update) The Site area has been calculated more accurately	<input type="checkbox"/>
(Update) The Site has been delineated more accurately	<input checked="" type="checkbox"/>
(Update) The Site area has increased because of a boundary extension	<input type="checkbox"/>
(Update) The Site area has decreased because of a boundary restriction	<input type="checkbox"/>

2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?	No
--	----

2.2 - Site location

2.2.1 - Defining the Site boundaries

b) Digital map/image
<1 file(s) uploaded>

Former maps	0
-------------	---

Boundaries description

The eastern and southern border follows the coastline approx. 3 km off the coast. The western border is along 20° 20' 30" W longitude. The northern border is not clearly defined, but the eastern corner is at 75° 48' 39" N, and follows to the west the small river from here to just north of point 692 and from here towards westnorthwest to a point at 75° 49' 02" N, 20° 20' 08" W (on the 500 m contour line).

2.2.2 - General location

a) In which large administrative region does the site lie?	Northeast Greenland National Park
b) What is the nearest town or population centre?	Ittoqqortoormiit 525 km to the south, Daneborg (military outpost) 92 km to the south

2.2.3 - For wetlands on national boundaries only

a) Does the wetland extend onto the territory of one or more other countries? Yes No

b) Is the site adjacent to another designated Ramsar Site on the territory of another Contracting Party? Yes No

2.2.4 - Area of the Site

Official area, in hectares (ha):

Area, in hectares (ha) as calculated from GIS boundaries

2.2.5 - Biogeography

Biogeographic regions

Regionalisation scheme(s)	Biogeographic region
Other scheme (provide name below)	Middle Arctic, continental
WWF Terrestrial Ecoregions	Kalallit Nunaat high Arctic tundra

Other biogeographic regionalisation scheme

3 - Why is the Site important?

3.1 - Ramsar Criteria and their justification

- Criterion 1: Representative, rare or unique natural or near-natural wetland types

Other reasons

- Criterion 2 : Rare species and threatened ecological communities

- Criterion 3 : Biological diversity

Justification

- Criterion 4 : Support during critical life cycle stage or in adverse conditions

- Criterion 6 : >1% waterbird population

- Criterion 7 : Significant and representative fish

Justification

- Criterion 8 : Fish spawning grounds, etc.

Justification

3.2 - Plant species whose presence relates to the international importance of the site

<no data available>

3.3 - Animal species whose presence relates to the international importance of the site

Phylum	Scientific name	Common name	Species qualifies under criterion				Species contributes under criterion				Pop. Size	Period of pop. Est.	% occurrence ¹⁾	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
			2	4	6	9	3	5	7	8								
Birds																		
CHORDATA/ AVES	<i>Acanthis hornemanni</i> 	Arctic Redpoll	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>	national responsibility species	breeding

Phylum	Scientific name	Common name	Species qualifies under criterion			Species contributes under criterion				Pop. Size	Period of pop. Est.	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
			2	4	6	9	3	5	7								
CHORDATA/AVES	<i>Anser brachyrhynchus</i>	Pink-footed Goose	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6500	1988	1.2	LC 	<input type="checkbox"/>	<input type="checkbox"/>	national responsibility species	concentrations of moulting birds				
CHORDATA/AVES	<i>Arenaria interpres</i>	Ruddy Turnstone	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Branta leucopsis</i>	Barnacle Goose	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	230			LC 	<input type="checkbox"/>	<input type="checkbox"/>	national responsibility species	moulting birds
CHORDATA/AVES	<i>Bubo scandiachus</i>	Snowy Owl	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				VU 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Calidris alba</i>	Sanderling	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Calidris alpina arctica</i>	Dunlin	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>	endemic subspecies	breeding
CHORDATA/AVES	<i>Calidris canutus</i>	Red Knot	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				NT 	<input type="checkbox"/>	<input type="checkbox"/>	national responsibility species	breeding
CHORDATA/AVES	<i>Calidris maritima</i>	Purple Sandpiper	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Charadrius hiaticula</i>	Common Ringed Plover	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Clangula hyemalis</i>	Oldsquaw; Long-tailed Duck	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				VU 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Falco rusticolus</i>	Gyrfalcon	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NT on national red list	breeding
CHORDATA/AVES	<i>Gavia stellata</i>	Red-throated Loon; Red-throated Diver	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Phalaropus fulicarius</i>	Red Phalarope	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Somateria mollissima</i>	Common Eider	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				NT 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Somateria spectabilis</i>	King Eider	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Stercorarius longicaudus</i>	Long-tailed skua	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Stercorarius parasiticus</i>	Arctic skua	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/AVES	<i>Sterna paradisaea</i>	Arctic Tern	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>	NT on national red list	breeding
CHORDATA/AVES	<i>Xema sabini</i>	Sabines gull	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20			LC 	<input type="checkbox"/>	<input type="checkbox"/>	NT on national red list	breeding
Fish, Mollusc and Crustacea																	
CHORDATA/ACTINOPTERYGII	<i>Salvelinus alpinus</i>	Arctic char	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		spawning in the rivers				
Others																	

Phylum	Scientific name	Common name	Species qualifies under criterion				Species contributes under criterion				Pop. Size	Period of pop. Est.	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
			2	4	6	9	3	5	7	8								
CHORDATA/ MAMMALIA	<i>Canis lupus arctos</i> 		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>		
CHORDATA/ MAMMALIA	<i>Dicrostonyx groenlandicus</i> 	Northern Collared Lemming; Nearctic Collared Lemming; Collared Lemming	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		common in lemming years
CHORDATA/ MAMMALIA	<i>Lepus arcticus</i> 	Arctic Hare	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/ MAMMALIA	<i>Monodon monoceros</i> 	Narwhal	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>	EN on national red list	visitor in deep waters south of site
CHORDATA/ MAMMALIA	<i>Mustela erminea</i> 	Ermine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		breeding
CHORDATA/ MAMMALIA	<i>Odobenus rosmarus</i> 	Walrus	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				VU 	<input type="checkbox"/>	<input type="checkbox"/>	NT on national red list	fouraging in coastal waters
CHORDATA/ MAMMALIA	<i>Ursus maritimus</i> 	Polar Bear	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				VU 	<input type="checkbox"/>	<input type="checkbox"/>	VU on national red list	Visitor throughout the year
CHORDATA/ MAMMALIA	<i>Vulpes lagopus</i> 	Arctic Fox	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				LC 	<input type="checkbox"/>	<input type="checkbox"/>		common

1) Percentage of the total biogeographic population at the site

The East Greenland/Iceland/UK flyway population of *Anser brachyrhynchus* is growing, and so the Site's population may have also increased. It is likely that its population still meets the Criterion 6, with a higher percentage of occurrence, although no recent data can be provided.

3.4 - Ecological communities whose presence relates to the international importance of the site

<no data available>

4 - What is the Site like? (Ecological character description)

4.1 - Ecological character

This Ramsar-site is mainly placed on sedimentary rocks and is generally level, with many depressions and ponds. The surrounding waters are usually ice covered except for the summer (July/August).

The dry parts of the lowlands are covered with dwarf scrub heath, and there are marshes along the rivers and the many ponds. In the northern part, there are two large lakes (only partly included in the Ramsar site), and two large rivers from these lakes cross the lowland on their way to the sea.

4.2 - What wetland type(s) are in the site?

Marine or coastal wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
A: Permanent shallow marine waters		2		Representative
E: Sand, shingle or pebble shores		1		Rare

Inland wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
Fresh water > Flowing water >> M: Permanent rivers/ streams/ creeks		3		Representative
Fresh water > Lakes and pools >> O: Permanent freshwater lakes		1		Representative
Fresh water > Lakes and pools >> Tp: Permanent freshwater marshes/ pools		2		Representative
Fresh water > Marshes on inorganic or peat soils >> Vt: Tundra wetlands		4		Representative

Other non-wetland habitat

Other non-wetland habitats within the site	Area (ha) if known
dwarf scrub heath	
abrasion flats	

4.3 - Biological components

4.3.1 - Plant species

Optional text box to provide further information

Information on the flora is fragmented. Rare species include: Saxifraga nathorstii, Luzula wahlenbergi and Puccinellia bruggemanni.

4.3.2 - Animal species

<no data available>

4.4 - Physical components

4.4.1 - Climate

Climatic region	Subregion
E: Polar climate with extremely cold winters and summers	ET: Tundra (Polar tundra, no true summer)

The Köppen-Gieger Climate Classification System do really not fit to this site. The site is within the high Arctic climate zone.

4.4.2 - Geomorphic setting

a) Minimum elevation above sea level (in metres)

a) Maximum elevation above sea level (in metres)

- Entire river basin
- Upper part of river basin
- Middle part of river basin
- Lower part of river basin
- More than one river basin
- Not in river basin
- Coastal

Please name the river basin or basins. If the site lies in a sub-basin, please also name the larger river basin. For a coastal/marine site, please name the sea or ocean.

Large river to the north is Langelv. The adjacent sea is the Greenland sea to the east and Ardencaple Fjord to the south.

4.4.3 - Soil

Mineral

(Update) Changes at RIS update No change Increase Decrease Unknown

Organic

(Update) Changes at RIS update No change Increase Decrease Unknown

No available information

Are soil types subject to change as a result of changing hydrological conditions (e.g., increased salinity or acidification)? Yes No

4.4.4 - Water regime

Water permanence

Presence?	Changes at RIS update
Usually permanent water present	

Source of water that maintains character of the site

Presence?	Predominant water source	Changes at RIS update
Water inputs from rainfall	<input checked="" type="checkbox"/>	No change

Water destination

Presence?	Changes at RIS update
Marine	No change

Stability of water regime

Presence?	Changes at RIS update
Water levels largely stable	No change

Please add any comments on the water regime and its determinants (if relevant). Use this box to explain sites with complex hydrology.

The primary water source is snow.

4.4.5 - Sediment regime

Significant erosion of sediments occurs on the site

(Update) Changes at RIS update No change Increase Decrease Unknown

Significant accretion or deposition of sediments occurs on the site

(Update) Changes at RIS update No change Increase Decrease Unknown

Significant transportation of sediments occurs on or through the site

(Update) Changes at RIS update No change Increase Decrease Unknown

Sediment regime is highly variable, either seasonally or inter-annually

(Update) Changes at RIS update No change Increase Decrease Unknown

Sediment regime unknown

4.4.6 - Water pH

Acid (pH<5.5)

(Update) Changes at RIS update No change Increase Decrease Unknown

Circumneutral (pH: 5.5-7.4)

(Update) Changes at RIS update No change Increase Decrease Unknown

Alkaline (pH>7.4)

(Update) Changes at RIS update No change Increase Decrease Unknown

Unknown

4.4.7 - Water salinity

Fresh (<0.5 g/l)

(Update) Changes at RIS update No change Increase Decrease Unknown

Mixohaline (brackish)/Mixosaline (0.5-30 g/l)

(Update) Changes at RIS update No change Increase Decrease Unknown

Euhaline/Eusaline (30-40 g/l)

(Update) Changes at RIS update No change Increase Decrease Unknown

Hyperhaline/Hypersaline (>40 g/l)

(Update) Changes at RIS update No change Increase Decrease Unknown

Unknown

4.4.8 - Dissolved or suspended nutrients in water

Eutrophic

(Update) Changes at RIS update No change Increase Decrease Unknown

Mesotrophic

(Update) Changes at RIS update No change Increase Decrease Unknown

Oligotrophic

(Update) Changes at RIS update No change Increase Decrease Unknown

Dystrophic

(Update) Changes at RIS update No change Increase Decrease Unknown

Unknown

4.4.9 - Features of the surrounding area which may affect the Site

Please describe whether, and if so how, the landscape and ecological characteristics in the area surrounding the Ramsar Site differ from the i) broadly similar ii) significantly different site itself.

Surrounding area has greater urbanisation or development

Surrounding area has higher human population density

Surrounding area has more intensive agricultural use

Surrounding area has significantly different land cover or habitat types

Please describe other ways in which the surrounding area is different:

The surrounding area is dominated by high mountains and open sea.

4.5 - Ecosystem services

4.5.1 - Ecosystem services/benefits

Cultural Services

Ecosystem service	Examples	Importance/Extent/Significance
Scientific and educational	Long-term monitoring site	High

Supporting Services

Ecosystem service	Examples	Importance/Extent/Significance
Biodiversity	Supports a variety of all life forms including plants, animals and microorganisms, the genes they contain, and the ecosystems of which they form a part	Medium

Other ecosystem service(s) not included above:

Social and cultural values occur at least as huts from the trapper-era (see Mikkelsen 2008) and there are many tent rings and winter house ruins at least in the southern part (O. Gilg. pers. comm..) (cf. also. Greenland National Museum).

Within the site: 10s

Outside the site: 10s

Have studies or assessments been made of the economic valuation of ecosystem services provided by this Ramsar Site? Yes No Unknown

4.5.2 - Social and cultural values

- i) the site provides a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and use that maintain the ecological character of the wetland
- ii) the site has exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland
- iii) the ecological character of the wetland depends on its interaction with local communities or indigenous peoples
- iv) relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological character of the wetland

<no data available>

4.6 - Ecological processes

<no data available>

5 - How is the Site managed? (Conservation and management)

5.1 - Land tenure and responsibilities (Managers)

5.1.1 - Land tenure/ownership

Public ownership

Category	Within the Ramsar Site	In the surrounding area
Public land (unspecified)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

5.1.2 - Management authority

Please list the local office / offices of any agency or organization responsible for managing the site:

Pingortitamut Avatangiisinullu Naalakkersuisoqarfik
Departementet for Natur og Miljø
Ministry of Nature and Environment

Provide the name and title of the person or people with responsibility for the wetland:

Karen Motzfeldt, Head of Department for Nature, Climate and Research

Postal address:

Pingortitamut Avatangiisinullu Naalakkersuisoqarfik
Departementet for Natur og Miljø
Ministry of Nature and Environment
Postboks 1015
3900 Nuuk

E-mail address:

pan@nanoq.gl

5.2 - Ecological character threats and responses (Management)

5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Transportation and service corridors

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Aircraft flight paths	Low impact	Low impact	<input checked="" type="checkbox"/>	No change	<input checked="" type="checkbox"/>	No change

Human intrusions and disturbance

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Recreational and tourism activities	Low impact	Low impact	<input checked="" type="checkbox"/>	No change	<input checked="" type="checkbox"/>	No change

5.2.2 - Legal conservation status

National legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
Areas important for wildlife (Anon. 2000)		https://www.govmin.gl/images/stories/minerals/rules_for_fieldwork.pdf	whole
National Park	North and East Greenland National Park	http://lovgivning.gl/lov?rid={1F C9C99F-1BE0-494A-A663-4CA19ABEAF 62}	whole
Ramsar site	Hochstetter Forland	http://lovgivning.gl/lov?rid={15 CBC689-E3AD-470D-B32A-947A250D70 62}	whole

Non-statutory designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
Important Bird Area	051 Hochstetter Forland	http://datazone.birdlife.org/site/factsheet/50	whole

5.2.3 - IUCN protected areas categories (2008)

1a Strict Nature Reserve

1b Wilderness Area: protected area managed mainly for wilderness protection

II National Park: protected area managed mainly for ecosystem protection and recreation

III Natural Monument: protected area managed mainly for conservation of specific natural features

IV Habitat/Species Management Area: protected area managed mainly for conservation through management intervention

V Protected Landscape/Seascape: protected area managed mainly for landscape/seascape conservation and recreation

VI Managed Resource Protected Area: protected area managed mainly for the sustainable use of natural ecosystems

5.2.4 - Key conservation measures

Legal protection

Measures	Status
Legal protection	Implemented

5.2.5 - Management planning

Is there a site-specific management plan for the site? No

Has a management effectiveness assessment been undertaken for the site? Yes No

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning processes with another Contracting Party? Yes No

5.2.6 - Planning for restoration

Is there a site-specific restoration plan? No need identified

5.2.7 - Monitoring implemented or proposed

Monitoring	Status
Animal community	Proposed

Monitoring is proposed by Egevang & Boertmann 2001.

6 - Additional material

6.1 - Additional reports and documents

6.1.1 - Bibliographical references

Anonymous 2000. Rules for fieldwork and reporting regarding mineral resources (excluding hydrocarbons) in Greenland. – Government of Greenland, Bureau of Minerals and Petroleum.
Boertmann, D., Olsen, K. & Nielsen, R.D. 2009. Seabirds and marine mammals in Northeast Greenland. Aerial surveys in spring and summer 2008. – NERI Technical report no.721. <http://www2.dmu.dk/Pub/FR721.pdf>
Born, E.W., Boertmann, D.M., Heide-Jørgensen, M.P., Dietz, R., Witting, L., Kyhn, L., Riget, F.F., Laidre, K. & Ugarte, F. 2009. Abundance of Atlantic Walrus (*Odobenus rosmarus rosmarus*) in East Greenland. – NAMMCO SCIENTIFIC COMMITTEE WORKING GROUP ON WALRUS SC/17/MWG/07.
Egevang, C. & Boertmann, D. 2001. The Greenland Ramsar Sites, a status report. – National Environmental Research Institute (NERI), Technical Report No. 346, 96 pp.
Greenland Red List 2007. (Boertmann, D., 2008). Rødliste 2007 over planter og dyr i Grønland. – Danmarks Miljøundersøgelser, Grønlands Hjemmestyre.
Mikkelsen, P.S. 2008. North-east Greenland 1908-60 - The Trapper Era – Scott Polar Research Institute.

6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

<no file available>

ii. a detailed Ecological Character Description (ECD) (in a national format)

<no file available>

iii. a description of the site in a national or regional wetland inventory

<1 file(s) uploaded>

iv. relevant Article 3.2 reports

<no file available>

v. site management plan

<no file available>

vi. other published literature

<no file available>

6.1.3 - Photograph(s) of the Site

Please provide at least one photograph of the site:



South coast of the site. (David Boertmann, 30-08-2017)



Central coastal part of the site seen from NW. (David Boertmann, 30-08-2017)



Central interior part of the site. (David Boertmann, 30-08-2017)

6.1.4 - Designation letter and related data

Designation letter

<1 file(s) uploaded>

Date of Designation