### **RAMSAR INFORMATION SHEET**

#### FOR WETLANDS OF INTERNATIONAL IMPORTANCE

Site	e reference number	7UK148	
1	Compilation date	Jan 2000	
2	Country	UK (England)	
3	Name of wetland	Northumbria Coast	
4	Site centre location:	Latitude: 55 27 59 N	Longitude: 01 35 18 W
5	Altitude	0m	
6	Area (ha)	1107.98	

#### 7 Overview

The Northumbria Coast Ramsar site comprises several discrete sections of rocky foreshore between Spittal, in the North of Northumberland, and an area just south of Blackhall Rocks in County Durham. These stretches of coast regularly support internationally important numbers of purple sandpiper and turnstone. The Ramsar site also includes an area of sandy beach at Low Newton, which supports a nationally important breeding colony of little tern, and parts of three artificial pier structures which form important roost sites for purple sandpiper.

#### 8 Wetland type

#### Marine/coastal wetland

Code	Name	% Area
D	Rocky shores	96
Е	Sand / shingle shores (including dune systems)	3.3
М	Rivers / streams / creeks: permanent	0.2
Other	Other	0.5

#### 9 Ramsar Criteria

10	Map of the site		$\checkmark$
11	Compiler		Joint Nature Conservation Committee
	-		Monkstone House
			City Road
			Peterborough
			Cambridgeshire PE1 1JY
			UK
	Telephone/Fax	:	+44(0) 1733 562626 / +44(0) 1733 555948

6

#### 12 Justification of criteria

#### Ramsar criterion 6

The site supports internationally important wintering populations of turnstone *Arenaria interpres* (2.6 % of the Eastern Atlantic Flyway population) and purple sandpiper *Calidris maritima* (1.6% of the Eastern Atlantic Flyway population)

#### **13** General location

Nearest town/city: Newcastle upon Tyne

The site comprises several discrete stretches of the coastline in north east England, running between Spittal in the north of Northumberland to an area just south of Blackhall Rocks in County Durham.

Administrative Region: Northumberland, County Durham, Tyne and Wear

### 14 Physical Features

Soil & Geology	acidic, basic, clay, gravel, igneous, limestone/chalk, metamorphic, neutral, sand, sandstone, sedimentary, shingle, slate/shale	
Geomorphology and Landscape	cliffs, coastal, crags/ledges, intertidal rock, open coast (including bay), pools	
Nutrient status	no information	
pH	no information	
Salinity	saline / euhaline	
Soil	mainly mineral	
Water permanence	usually permanent	
Summary of main climatic features	Rainy, temperate climate with a mild winter and periodic frost. Mean minimum temperature approximately 7.4°C. Mean maximum temperature approximately 14.4°C. Mean annual precipitation approximately 6222.4mm, with a winter maximum.	

#### 15 Hydrological values

Shoreline stabilisation and dissipation of erosive forces, Sediment trapping

#### 16 Ecological features

The site consists mainly of areas of rocky shore with associated boulder and cobble beaches. These support a rich algal flora and associated fauna and form an important feeding area for wading birds. The areas of sandy beach within the site support a flora which includes marram grass *Ammophila arenaria* and sea sandwort *Honkenya peploides*.

#### 17 Noteworthy flora

#### 18 Noteworthy fauna

#### Species occurring at levels of international importance:

#### Over winter the area regularly supports:

Purple Sandpiper ( <i>Calidris maritima</i> ) (Eastern Atlantic (wintering))	787 individuals, representing an average of 1.6% of the population (5 year peak mean for 1992/93 to 1996/97)
Turnstone ( <i>Arenaria interpres</i> ) (Western Palearctic (wintering))	1739 individuals, representing an average of 2.6% of the population (5 year peak mean for 1992/93 to 1996/97)

#### Species occurring at levels of national importance:

#### During the breeding season the area regularly supports:

Little tern (Sterna albifrons)	40 pairs, representing an average of 1.7% of
(Eastern Atlantic (breeding))	the GB population (5 year mean for 1993 to 1997)

#### 19 Social and Cultural Values

Aesthetic Conservation education Current scientific research Non-consumptive recreation Other Sport fishing Tourism Transportation/navigation

#### 20 Land tenure/ownership

Ownership category	On-Site	Off-Site
Non-governmental organisation	+	+
Local authority, municipality etc.	+	+
National/Crown estate	+	+
Private	+	+

#### 21 Current land use

Activity	On-Site	Off-Site	Scale
Nature conservation	+	+	Large-Scale
Tourism	+	+	Large-Scale
Recreation	+	+	Large-Scale
Research	+		Small-Scale
Collection of non-timber natural products: (unspecified)	+	+	Small-Scale
Fishing: (unspecified)	+	+	Small-Scale
Fishing: commercial	+	+	Small-Scale
Fishing: recreational/sport	+		Small-Scale
Gathering of shellfish	+	+	Small-Scale
Shell collection	+	+	Small-Scale
Bait collection	+	+	Small-Scale
Arable agriculture (unspecified)		+	Large-Scale
Sewage treatment/disposal		+	Large-Scale
Harbour/port	+	+	Small-Scale

#### 22 Adverse factors affecting the ecological character of the site

Activity	On-Site	Off-Site	Scale
General disturbance from human activities	+	+	Large-Scale

#### 23 Conservation measures taken

Conservation measure	On-site	Off-site
SSSI	+	
Candidate SAC	+	
Land owned by a NGO for nature conservation	+	
Site management statement/plan implemented	+	

## **24** Conservation measures proposed but not yet implemented see below

#### Site vulnerability and management statement

Little terns are vulnerable to disturbance by tourists in the summer causing reduced breeding success. The National Trust employs wardens each summer to protect the little tern colony at Beadnell Bay.

# **25** Current scientific research/survey/monitoring and facilities Fauna:

Numbers of migratory and wintering wildfowl and waders are monitored annually as part of the national Wetland Birds Survey (WeBS) organised by the British Trust for Ornithology, Wildfowl & Wetlands Trust, the Royal Society for the Protection of Birds and the Joint Nature Conservation Committee.

### 26 Current conservation education

None

#### 27 Current recreation and tourism

A diverse range of recreational activities takes place along the coast including walking, camping, sea angling, bird watching, water sports (water skiing, sailing, windsurfing and canoeing) and general use of amenity beaches. Bird watching is particularly popular at Druridge Bay where there is a Country Park and a number of Nature Reserves. As well as attracting a large number of day trippers, a sizeable population of summer visitors stay in caravan sites and other accommodation along the coast.

#### 28 Functional jurisdiction

Department of the Environment, Transport and the Regions

#### 29 Management authority

English Nature Northumbria Team Stocksfield Hall Stocksfield Northumberland NE43 7TN

#### **30** Bibliography

- Anderson, N, 1989. A report on the number and distribution of waders and wildfowl on the Northumberland Coast.
- Anon. 1995. Biodiversity: the UK Steering Group report. Volume 2: action plans. London, HMSO.
- Anon. 1997. *Monitoring the effects of a new sea outfall at Cambois on the invertebrate fauna*. Interim report to Northumbria Water. University of Durham.
- Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C., & Buck, A.L. eds. 1996-1998. Coasts and seas if the United Kingdom. Regions 1-17. Peterborough Joint Nature Conservation Committee.
- Batten, L.A., Bibby, C.J., Elliott, G.D., & Porter, R.F., eds. 1990. Red Data birds in Britain: action for rare, threatened and important species. London, T & A. D. Poyser.
- Brown, A.E., Burn, A.J., Hopkins, J.J., & Way, S.F., *eds.* 1997. The Habitats Directive: selection of Special Areas of Conservation in the UK. *JNCC Reports*, No. 270. Peterborough, Joint Nature Conservation Committee.
- Buck, A.L. 1993, 1996, 1997. *An inventory of UK estuaries. Volume 2-7.* Peterborough, Joint Nature Conservation Committee.
- Chandler, T.J., & Gregory, S., eds. 1976. The climate of the British Isles. London, Longman.
- Connor, D.W. 1989. *Marine biological survey of Berwick to Beadnall including the Farne Islands*. Marine Nature Conservation Review Report MNCR/SR/01/89. Peterborough, Nature Conservancy Council.
- Cranswick, P.A., Waters, R.J., Musgrove, A.J. & Politt, M.S. 1997. *The Wetland Bird Survey 1995-96: wildfowl and wader counts*. Slimbridge, British Trust for Ornithology, Wildfowl and Wetlands Trust, Royal Society for the Protection of Birds & Joint Nature Conservation Committee.
- Department of the Environment. 1995. Biodiversity: The UK Steering Group Report. Volume 1: Meeting the Rio Challenge. London, HMSO.
- Department of the Environment, Transport and the Regions. 1998. UK National Report to the 7th Meeting of the Conference of the Contracting Parties. Peterborough, Joint Nature Conservation Committee.
- Doody, J.P., Johnston, C., & Smith, B. 1993. *Directory of the North Sea coastal margin*. Peterborough, Joint Nature Conservation Committee

- English Nature. *Natural Areas; Nature Conservation in Context version 1.1.* CD-ROM. English Nature, Peterborough.
- English Nature. 1996. *Impact of Water Abstraction on Wetland SSSIs*. English Nature Freshwater Series Number 4. Peterborough, English Nature.
- Pritchard, D.E., Housden, S.D., Mudge, G.P., Galbraith, C.A. & Pienkowski, M.W., eds. 1992. Important Bird Areas in the United Kingdom including the Channel Islands and the Isle of Man. Sandy, Royal Society for the Protection of Birds.
- Ratcliffe, D.A., ed. 1977. A nature conservation review: volumes 1 & 2. Cambridge, Cambridge University Press.
- Rose, P.M. & Scott, D.A. 1997. *Waterfowl Population Estimates Second edition*. Wageningen, Wetlands International.
- Royal Society for the Protection of Birds. 1998. *Land for Life*. Sandy, Royal Society for the Protection of Birds.
- Stroud, D.A., Mudge, G.P. and Pienkowski, M. W., eds. 1990. Protecting Internationally Important Bird Sites. Peterborough, Nature Conservancy Council.

Reference should also be made to Country Agencies Management Plans for sites that are within National Nature Reserves.